MAT-40

SELF-ADHERING METAL & TILE UNDERLAYMENT

You can trust Bitec® for quality products, installed with ease.







MAT-40

COMPOSITION

Bitec's MAT-40 self-adhering metal and tile roof underlayment contains high-strength, dimensionally stable polyester combined with fiberglass scrim. The bottom is coated with a specially formulated SBR polymer-modified adhesive to ensure a strong bond, and its top offers exposed polyester for slip resistance during installation. MAT-40's unique composition allows it to be applied in conditions where roof temperatures reach 260°F (126.7°C), offering a trusted underlayment solution in the hottest parts of the country.

USE

MAT-40 can be used in residential and commercial applications.



BENEFITS OF MAT-40



Weighing 40 lbs. per 100 square feet, MAT-40 is highly durable, resists punctures and tears, and provides the **strong foundation** metal and tile roofs require.



MAT-40 can be left exposed to weather for up to 120 days without deterioration or substantial changes in physical properties, providing temporary watertight protection and adding flexibility to installation schedules.



MAT-40 boasts a monolithic coating and saturating process, which contributes to its **superior waterproofing capabilities** and provides an even simpler application.



The easy-to-use peel-off release film eases MAT-40's application process, saving time and labor costs while ensuring a powerful bond.



MAT-40 contains high-quality distilled asphalt and polymers for a seamless sheet free of brittle, non-flexible oxidized asphalt, maintaining Bitec's commitment to only using the **highest quality raw materials** in its products.





ABOUT BITEC

Bitec, Inc. is a leading manufacturer and distributor of some of the industry's highest-quality APP and SBS modified bitumen membranes. Since its founding in 1986, Bitec has remained committed to providing its customers with only the most innovative and highest-quality modified bitumen products. Additionally, Bitec is the only manufacturer in the country to offer pattern-design cap sheets that provide a unique opportunity to incorporate various colors and designs into low slope and pitched roofing systems without compromising performance. Bitec, headquartered in Morrilton, Ark., provides unparalleled technical support, offering complete project assistance from inception to completion.



BITEC, INC.

2 Industrial Park Dr, Morrilton, AR 72110 1.800.535.8597 www.bi-tec.com